



Electrolyte Analyzer

- 7" color touch screen , easy to operate
- High Accurate and long life electrode
- TCO @ Sensor programmable multi –format print out.
- Reagent pack ,real time monitoring of reagent residual volume
- Up to 50,000 test results can be stored
- RS -232 port, supporting bar code reader and USB interface.
- Sleep mode to reduce reagent consumption
- Option: Auto Sampler.



GB LYTE

A RANGE OF AUTOMATED (ISE) ELECTROLYTE ANALYZER

HIGH ACCURATE AND LONG LIFE ELECTRODE



7 COLOUR TOUCH SCREEN



2 SENSOR PROGRAMMABLE



5 KG WEIGHT

TECHNICAL SPECIFICATION

METHODS OF CALCULATIONS

Ion Selective Electrode (ISE) Method

SAMPLER METHOD

Manual

SAMPLER VOLUME

Adjustable 100µl to 200µl

TEST WAVELENGTH

470nm, 540nm 620nm

COMMUNICATION INTERFACE

Communication Interface

PRINTER

Inbuilt-Thermal paper Size 58mm and have option of Bar Reader

QUALITY CONTROL

Three Levels of quality can be entered (Low, Middle, High)

MEASURING PARAMETER

Sodium, Potassium, Chloride, Calcium, pH, Magnesium

MEASURING PARAMETER

Voltage	110/220V
Frequency	50/60Hz
Maximum Power	<50W
Operating Environment	10°C to 32°C
Dimensions	210mm x 340mm x 380mm
Maximum Relative Humidity	85%
Weight	5kgs

FULL TIME

45 Secs

DATA STORAGE

2000 Samples

DISPLAY

320x240 LCD, Touch Screen

MEASURING TIME

30 Secs

Technical Specifications Subject To Change Without Prior Notice.



Genuine Biosystem Pvt Ltd

Factory

Plot No. 97 & 98, Kattabomman street, Parvathy Nagar Extension, Old Perungalathur, Chennai 63, India .

Sales

Plot No. 54, Kambar Street, 1st & 2nd Floor, Parvathy Nagar, Old Perungalathur, Chennai 600063, TN (India).



sales@genuinebiosystem.com | export@genuinebiosystem.com



+91 9003039750 | 9677126493 | 9677235540



+91 – 44 - 48681845